Guidelines for De-Chlorinating Swimming Pools, Hot Tubs, Spas and Fountains

Releasing polluting chemicals, such as chlorinated swimming pool water, into the environment causes water pollution and damage to sensitive aquatic life and ecosystems.



Swimming pool water must be properly de-chlorinated before discharging.

In the City of Wilmington, water from swimming pools, hot tubs, spas, and fountains must be de-chlorinated before being discharged into the environment.

Wilmington City Ordinance states:

"Anyone found responsible for causing a polluting substance to enter a storm drain or any other part of the drainage system (storm drain, ditch, creek, street, etc.) can face fines up to \$10,000". (Chapter 12- Utilities)

Please follow the instructions on the back to properly de-chlorinate swimming pools, hot tubs, spas, or fountain water before discharging.



Hot tubs, spas and fountain water must also be de-chlorinated.



Questions?
Call City Stormwater Compliance
910.341.0092

www.wilmingtonnc.gov/stormwater

To de-chlorinate residential swimming pool, hot tub, spa, or fountain water:

1. Once the chlorination system has been shut off or chlorine has stopped being added to the water, keep the water in the pool/spa/fountain for 7-10 days to allow the chlorine to naturally evaporate in the sunlight.

De-chlorination additives can also be purchased at your local pool supply store and can be used to speed up the de-chlorination process.

2. Use a test kit to measure the chlorine level and pH in the water. Most pool owners use a pH and chlorine test kit to maintain the quality of the pool water, but if you do not have one, you can purchase an inexpensive one at a local pool supply store.

The water should not show any detectable levels of chlorine, and the pH should be neutral between 6.5 and 8.5. You may need to let the water sit longer to achieve the chlorine and pH levels required for discharge.

- **3.** After water is de-chlorinated, you may discharge the water under the following conditions:
 - Avoid creating conditions that cause street or property flooding or ponding water
 - Avoid discharging when it is raining, in order to prevent the storm drainage system from becoming overloaded.

Remember, only <u>DE-CHLORINATED</u> swimming pool/hot tub/spa/fountain water is allowed to be discharged into the environment.

Additional Precautions:

Water from backwashing pool filters should <u>not</u> be discharged to the street or storm drainage system.

Pool water may contain copper from chemicals used in the pool to prevent the growth of algae. Since copper can be harmful to fish and wildlife, your local pool supply store can help you determine the best chemicals to add to the pool to neutralize or remove metals from the water before discharging.

Properly store pool and spa chemicals to prevent leaks and spills. Store them in an area that is properly covered to avoid exposure to rain or vandalism.

Commercial pools may, on a case-bycase basis, discharge to the sanitary sewer system. Pool owners must first contact the Cape Fear Public Utility Authority (CFPUA) – Community Compliance Section to see if they qualify and for specific discharge instructions, 910-332-6558.

(If commercial pools choose to discharge to the outdoors, they must follow the de-chlorinating instructions to the left.)



Thank you for your cooperation in keeping Wilmington's Waterways clean and healthy!